Date Issued: June, 2003 Supersedes: Nov., 2002

MATERIAL SAFETY DATA SHEET ZOECON® GENTROL® IGR CONCENTRATE

Manufacturer:	Wellmark International	
Address:	1100 East Woodfield Road, Suite 500 Schaumburg, IL 60173	
Emergency Phone:	1-800-248-7763	
Transportation Emergency Phone:	CHEMTREC: 1-800-424-9300	

1. CHEMICAL PRODUCT INFORMATION

Product Name:	Zoecon® Gentrol® IGR Concentrate

Chemical Name/Synonym:	(S)-Hydroprene: (Ethyl(2E,4E,7S)-3,7,11-trimethyl-2,4-dodecadienoate
Chemical Family:	Isoprenoid
Formula:	C17 H30 O2
EPA Registration No.:	2724-351
RF Number:	259

2. COMPOSITION / INFORMATION ON INGREDIENTS

Component (chemical, common name)	<u>CAS</u> <u>Number</u>	<u>Weight</u>	Tolerance
(S)-Hydroprene: (Ethyl(2E,4E,7S)-3,7,11-trimethyl-2,4- dodecadienoate)	65733-18-8	9.0%	Not established
Inert ingredients (non hazardous and/or trade secret):		91.0%	Not established

3. HAZARD INFORMATION

PRECAUTIONARY STATEMENT

WARNING: Keep out of the reach of children. Avoid contact with eyes, skin or clothing. Causes skin irritation. Harmful if swallowed. Wash thoroughly with soap and water after handling.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

Intoxification not reported. Probable symptoms of over exposure would be nausea, vomiting, diarrhea, and G.I. irritation.

PRIMARY ROUTE OF	ENTRY <u>De</u>	rmal/Eye: Yes	<u>Oral:</u> No	Inhalation No
ACUTE TOXICITY	Oral:	LD ₅₀ (rat): >34,000 r	mg/kg (highest dose le	vel tested)
	Dermal:	LD ₅₀ (rabbit): >5,000	mg/kg (highest dose le	evel tested)
	Inhalation:	LC ₅₀ (rat): >5mg/l (hi	ghest dose level tested	(b

OTHER TOXICOLOGICAL INFORMATION

Skin Irritation: Moderate irritant (rabbit)

Eye Irritation: Minimal (rabbit)

Sensitizer: Not considered a sensitizer (guinea pig)

Eye:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes
Ingestion:	Immediately call poison control center or doctor. Do not induce vomiting unless told to do so by poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
Inhalation:	Move to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
Note to Physician:	Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

5. FIRE FIGHTING MEASURES

NFPA Rating:	Health: 2	Fire: 2	Reactivity:	0
Flammability Class:	Combustible liquid			
Flash Point:	200° F			
Explosive Limits (% of Volume):	Not known			
Extinguishing Media:	CO2, foam, water			
Special Protective Equipment:	Firefighters should wea breathing apparatus.	r full protective equip	ment including sel	f contained
Fire Fighting Procedures:	Normal procedures. Do sewers.	o not allow firefighting	water to escape ir	nto waterways or
Combustion Products:	Oxides of carbon and c	oxides of sulfur.		
Unusual Fire/Explosion Hazards:	None known			

6. ACCIDENTAL RELEASE MEASURES

Steps to be taken:	Contain spill and do not allow to enter waterways. Soak up with absorbent material and place in a container for disposal.
Absorbents:	Clay granules, sawdust, dirt, or equivalent.
Incompatibles:	Strong oxidizers.

7. HANDLING AND STORAGE

Handling:	Avoid inhalation of vapors and contact with skin, eyes, and clothing. Wash hands, arms and face thoroughly with soap and water after handling product. Do not use this product in or on an electrical portion of equipment due to possibility of shock hazard.
Storage:	Keep away from children. Store in cool area. Do not contaminate water, food, or feed by storage.

8. EXPOSURE CONTROL / PERSONAL MEASURES

Exposure Limits:	Not established
Ventilation:	Use with adequate ventilation.
Personal Protective Equipment:	If prolonged exposure is anticipated, it is recommended for handlers to wear a MSHA/NIOSH approved organic vapor /pesticide respirator, impermeable gloves, goggles and other protective clothing to prevent skin contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor:	Straw colored liquid with mild petroleum solvent odor.
----------------------	--

Boiling Point:	Not known
Bolling Politi.	

Boiling Point:	NOT KNOWN
Melting Point:	Not applicable
/apor Pressure (mm Hg):	Not known
Vapor Density (Air = 1):	Not known
Specific Gravity:	0.85
Bulk Density:	7.1 lbs/gal
Solubility:	Emulsifies in water
Evaporation Rate:	Not known

pH: 6.22

10. STABILITY AND REACTIVITY

ν

Stability:	Stable
Reactivity:	Not reactive
Incompatibility w/ Other Materials:	Strong Oxidizers
Decomposition Products:	Carbon oxides, sulfur oxides
Hazardous Polymerization:	Will not occur

11. TOXICOLOGICAL INFORMATION

SUBCHRONIC TOXICITY [Specific to Active Ingredient(s)]

In a 90-day subchronic feeding study in rats, the NOEL was 50 mg/kg/day. Changes in body weight and organ weights were observed at higher dose levels. Maximum tolerated dose (MTD) was suggested to be between 250 and 1,000 mg/kg/day. No immunotoxic effects were observed in a study in mice when (S)-Hydroprene was fed (diet) at dose levels up to and including 1,200 mg/kg/day, continuously for 30 days.

DEVELOPMENTAL/REPRODUCTIVE TOXICITY [Specific to Active Ingredient(s)]

Parental reproductive performance in rats remained unaffected up to a dose level of 7,500 ppm, when evaluated in a 2generation reproduction/toxicity study. Histologically, all females of 7,500 ppm dose group had cytoplasmic vacuolation in the ovaries and regression of corpora lutea, but without affecting reproductive performance. The NOEL for pup development was 1,500 ppm. No teratogenic or fetotoxic effects were observed in rats when pregnant animals were exposed (gavage) to (S)-Hydroprene at levels up to 1,000 mg/kg/day (highest dose tested) during days 6 to 15 of gestation. NOEL for maternal toxicity was 1,000 mg/kg/day. Minor skeletal anomalies observed at lower dose levels were absent in the high dose animals, indicating an observation unrelated to the dose treatment.

MUTAGENICITY [Specific to Active Ingredient(s)]

(S)-Hydroprene is not a mutagen.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE [Active Ingredients Only]

Hydrolysis: Not available

Photolysis: Not available

Soil half life: Not available

Water solubility: <2 ppm, emulsifies in water

ECOTOXICITY [Active Ingredients Only]

Acute Toxicity: fish:Not available; aquatic invertebrates:Not available

13. DISPOSAL CONSIDERATIONS

Do not contaminate water, food, or feed by disposal. **Pesticide Disposal**: Wastes resulting from the use of this product may be disposed of at an approved waste disposal facility. **Container disposal:** Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

14. TRANSPORT INFORMATION

DOT49CFR Description: Not regulated

Freight Classification: Insecticides, other than poison, N.O.I. NMFC-102120

15. REGULATORY INFORMATION

CERCLA (Superfund): Not regulated as hazardous

RCRA: Not regulated as hazardous

SARA 311/312 HAZARD CATEGORIES

Immediate Health: Yes (Irritant)

Delayed Health: No

Fire: Yes

Sudden Pressure: No

Reactivity: No

The information presented herein, while not guaranteed, was prepared by technically knowledgeable personnel and to the best of our knowledge is true and accurate. It is not intended to be all inclusive and the manner and conditions of use and handling may involve other or additional considerations.